

ELECTRICAL REQUIREMENTS VICTORIAN COUNTRY CHRISTMAS - 2009

BOOTH NAME _____

ADDRESS _____

PHONE NUMBER _____ CONTACT PERSON _____

BOOTH BUILDING & NUMBER _____

Each booth is provided with one (1) 110 outlet 500 watt. This form is for additional electrical needs. If purchasing extra electrical, please make check payable to the Puyallup Fair & Events Center and return to The Fair at 110 9th Ave SW, Puyallup, WA 98371. For more information call 253-841-5018.

120 Volt Outlets

Shared outlet

	<u>Discount Price</u>	or	<u>Floor Price</u>
_____ 500 watt single outlet @	\$43.00		\$48.00
_____ 1000 watt single outlet @	\$59.00		\$69.00
_____ 1500 watt single outlet @	\$69.00		\$84.00

Single outlet

	<u>Discount Price</u>	or	<u>Floor Price</u>
_____ 2250 watt single outlet @	\$90.00		\$105.00

208 Volt Outlets Single Phase

_____ 20 amp outlet,	@	\$95.00	or	\$110.00
_____ 30 amp outlet,	@	\$117.00	or	\$154.00
_____ 50 amp outlet,	@	\$159.00	or	\$175.00
_____ 60 amp outlet,	@	\$186.00	or	\$212.00

208 Volt 3 Phase

Will be charged by labor & materials.

**Please enclose a check for electrical service *made payable to:* Puyallup Fair & Events Center
Visa/MC/Discover Cards Accepted**

**110 9th Ave SW
Puyallup, WA 98371-0162
253-841-5018 - Denise
253-841-5390 - Fax**

Card # _____

Exp. Date ____/____/____

Authorized Signature _____

Floor orders must be paid for in cash at the time of order. To receive discount prices, order must be received by fairgrounds and paid for seven (7) days before event.

TOTAL _____

RETURN THIS COMPLETED FORM TO THE FAIR, NOT TO LP PRODUCTIONS.

Our standard cord and/or receptacle configurations.

2 POLE / 3 WIRE

125V	250V	
20A	20A	30A
L5-20	L6-20	L6-30

2 POLE / 3 WIRE

125V				250V			
15A	20A	30A	50A	15A	20A	30A	50A
5-15	5-20		5-50	6-15	6-20		6-50

Our voltage is 120/208 3-phase 4-wire.

These configurations should be followed to prevent hazardous conditions.

4 POLE / 5 WIRE

3ØY	
120/208V	
20A	30A
L21-20	L21-30

125/250 means there is a neutral wire and a ground wire.

3 POLE / 4 WIRE

125/250V		125/250V	
20A	30A	20A	30A
L14-20	L14-30	L15-20	L15-30

3Ø250V or 250V means there is no neutral, ground only.

3 POLE / 4 WIRE

125/250V		3Ø250V			
50A	60A	15A	20A	30A	50A
14-50		15-30	15-50		